Title - Loneliness & Depression faced by the people of Ontario during the month of September 2020.

Description - Weekly survey response for September 2020 in the first wave of the COVID-19 pandemic. All the 144 use cases formed when we chose the criteria of loneliness and depression. The data has been procured from the Methodify portal of CAMH website.

Date - September 2020

File Name - Appendix C

File Type - PDF File

1	I	1	
 c /n	0 1		
S/No	Gender	Age Bracket	Depressed
	Male	18-39	Rarely or none of the time (less than 1 day)
2	Female	40-59	Rarely or none of the time (less than 1 day)
3	Female	60+	Rarely or none of the time (less than 1 day)
4	Male	40-59	Rarely or none of the time (less than 1 day)
5	Male	60+	Rarely or none of the time (less than 1 day)
6	Female	18-39	Rarely or none of the time (less than 1 day)
7	Female	18-39	Rarely or none of the time (less than 1 day)
8	Female	18-39	Some or a little of the time (1-2 days)
9	Female	18-39	Some or a little of the time (1-2 days)
10	Female	60+	Rarely or none of the time (less than 1 day)
11	Male	18-39	Rarely or none of the time (less than 1 day)
12	Male	18-39	Some or a little of the time (1-2 days)
13	Male	40-59	Some or a little of the time (1-2 days)
14	Male	60+	Rarely or none of the time (less than 1 day)
15	Male	60+	Some or a little of the time (1-2 days)
16	Female	18-39	Most or all of the time (5-7 days)
17	Female	18-39	Most or all of the time (5-7 days)
18	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
19	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
20	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
21	Female	18-39	Some or a little of the time (1-2 days)
22	Male	18-39	Most or all of the time (5-7 days)
23	Female	40-59	Most or all of the time (5-7 days)
24	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)
25	Female	40-59	Occasionally or a moderate amount of the time (3-4 days)
26	Female	40-59	Rarely or none of the time (less than 1 day)

27	Female	40-59	Rarely or none of the time (less than 1 day)	
	Female	40-59	Some or a little of the time (1-2 days)	
	Female	40-59	Some or a little of the time (1-2 days)	
	Female	40-59	Some or a little of the time (1-2 days)	
	Male	18-39	Some or a little of the time (1-2 days)	
	Female	60+	Occasionally or a moderate amount of the time (3-4 days)	
	Female	60+	Occasionally or a moderate amount of the time (3-4 days)	
	Female	60+	Rarely or none of the time (less than 1 day)	
	Female	60+	Some or a little of the time (1-2 days)	
	Female	60+	Some or a little of the time (1-2 days)	
	Female	60+	Some or a little of the time (1-2 days)	
	Female	40-59	Most or all of the time (5-7 days)	
	Female	40-59	Occasionally or a moderate amount of the time (3-4 days)	
40	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)	
41	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)	
42	Male	40-59	Most or all of the time (5-7 days)	
43	Male	18-39	Some or a little of the time (1-2 days)	
44	Male	18-39	Some or a little of the time (1-2 days)	
45	Female	60+	Most or all of the time (5-7 days)	
46	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)	
47	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)	
48	Male	40-59	Rarely or none of the time (less than 1 day)	
49	Male	40-59	Some or a little of the time (1-2 days)	
50	Male	60+	Most or all of the time (5-7 days)	
51	Male	60+	Occasionally or a moderate amount of the time (3-4 days)	
52	Male	60+	Occasionally or a moderate amount of the time (3-4 days)	
53	Male	60+	Occasionally or a moderate amount of the time (3-4 days)	
54	Male	60+	Some or a little of the time (1-2 days)	

55 Female 18-39 Most or all of the time (5-7 days) 56 Female 18-39 Most or all of the time (5-7 days)	
56 Female 18-39 Most or all of the time (5-7 days)	
57 Female 18-39 Occasionally or a moderate amount of the time (3-	4 days)
58 Female 18-39 Rarely or none of the time (less than 1 day)	
59 Female 18-39 Rarely or none of the time (less than 1 day)	
60 Female 18-39 Some or a little of the time (1-2 days)	
61 Female 40-59 Most or all of the time (5-7 days)	
62 Female 40-59 Most or all of the time (5-7 days)	
63 Female 40-59 Occasionally or a moderate amount of the time (3-	4 days)
64 Female 40-59 Occasionally or a moderate amount of the time (3-	4 days)
65 Female 40-59 Rarely or none of the time (less than 1 day)	
66 Female 40-59 Some or a little of the time (1-2 days)	
67 Female 60+ Most or all of the time (5-7 days)	
68 Female 60+ Most or all of the time (5-7 days)	
69 Female 60+ Most or all of the time (5-7 days)	
70 Female 60+ Occasionally or a moderate amount of the time (3-	4 days)
71 Female 60+ Occasionally or a moderate amount of the time (3-	4 days)
72 Female 60+ Rarely or none of the time (less than 1 day)	

73	Female	60+	Some or a little of the time (1-2 days)	
	Male	18-39	Most or all of the time (5-7 days)	
	Male	18-39	Most or all of the time (5-7 days)	
	Male	18-39	Most or all of the time (5 7 days)	
	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)	
	Male	18-39	Rarely or none of the time (less than 1 day)	
	Male		· · · · · · · · · · · · · · · · · · ·	
	Male	18-39	Rarely or none of the time (less than 1 day)	
		40-59	Most or all of the time (5-7 days)	
	Male	40-59	Most or all of the time (5-7 days)	
	Male	40-59	Most or all of the time (5-7 days)	
	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)	
	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)	
	Male	40-59	Rarely or none of the time (less than 1 day)	
	Male	40-59	Rarely or none of the time (less than 1 day)	
	Male	40-59	Some or a little of the time (1-2 days)	
	Male	40-59	Some or a little of the time (1-2 days)	
	Male	60+	Most or all of the time (5-7 days)	
	Male	60+	Most or all of the time (5-7 days)	
	Male	60+	Most or all of the time (5-7 days)	
	Male	60+	Occasionally or a moderate amount of the time (3-4 days)	
	Male	60+	Rarely or none of the time (less than 1 day)	
	Male	60+	Rarely or none of the time (less than 1 day)	
	Male	60+	Some or a little of the time (1-2 days)	
	Male	60+	Some or a little of the time (1-2 days)	
	Other	18-39	Most or all of the time (5-7 days)	
	Other	18-39	Most or all of the time (5-7 days)	
	Other	18-39	Most or all of the time (5-7 days)	
	Other	18-39	Most or all of the time (5-7 days)	
101	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)	
	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)	
103	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)	
104	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)	
105	Other	18-39	Rarely or none of the time (less than 1 day)	
106	Other	18-39	Rarely or none of the time (less than 1 day)	
107	Other	18-39	Rarely or none of the time (less than 1 day)	
108	Other	18-39	Rarely or none of the time (less than 1 day)	
109	Other	18-39	Some or a little of the time (1-2 days)	
110	Other	18-39	Some or a little of the time (1-2 days)	
111	Other	18-39	Some or a little of the time (1-2 days)	
112	Other	18-39	Some or a little of the time (1-2 days)	
113	Other	40-59	Most or all of the time (5-7 days)	
114	Other	40-59	Most or all of the time (5-7 days)	
115	Other	40-59	Most or all of the time (5-7 days)	
116	Other	40-59	Most or all of the time (5-7 days)	
117	Other	40-59	Occasionally or a moderate amount of the time (3-4 days)	
118	Other	40-59	Occasionally or a moderate amount of the time (3-4 days)	
119	Othor	40-59	Occasionally or a moderate amount of the time (3-4 days)	
	Other	40-33	Occasionally of a moderate amount of the time (3-4 days)	

121	Other	40-59	Rarely or none of the time (less than 1 day)
122	Other	40-59	Rarely or none of the time (less than 1 day)
123	Other	40-59	Rarely or none of the time (less than 1 day)
124	Other	40-59	Rarely or none of the time (less than 1 day)
125	Other	40-59	Some or a little of the time (1-2 days)
126	Other	40-59	Some or a little of the time (1-2 days)
127	Other	40-59	Some or a little of the time (1-2 days)
128	Other	40-59	Some or a little of the time (1-2 days)
129	Other	60+	Most or all of the time (5-7 days)
130	Other	60+	Most or all of the time (5-7 days)
131	Other	60+	Most or all of the time (5-7 days)
132	Other	60+	Most or all of the time (5-7 days)
133	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
134	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
135	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
136	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
137	Other	60+	Rarely or none of the time (less than 1 day)
138	Other	60+	Rarely or none of the time (less than 1 day)
139	Other	60+	Rarely or none of the time (less than 1 day)
140	Other	60+	Rarely or none of the time (less than 1 day)
141	Other	60+	Some or a little of the time (1-2 days)
142	Other	60+	Some or a little of the time (1-2 days)
143	Other	60+	Some or a little of the time (1-2 days)
144	Other	60+	Some or a little of the time (1-2 days)

	100%	419	100
Lonely	Count of respid2	Count of respi	Value
Rarely or none of the time (less than 1 day)	7.88%	33	7.88
Rarely or none of the time (less than 1 day)	7.16%	30	7.16
Rarely or none of the time (less than 1 day)	7.16%	30	7.16
Rarely or none of the time (less than 1 day)	6.92%	29	6.92
Rarely or none of the time (less than 1 day)	7.40%	31	7.40
Rarely or none of the time (less than 1 day)	6.44%	27	6.44
Some or a little of the time (1-2 days)	2.63%	11	2.63
Occasionally or a moderate amount of the time (3-4 days)	2.39%	10	2.39
Some or a little of the time (1-2 days)	2.39%	10	2.39
Some or a little of the time (1-2 days)	2.15%	9	2.15
Some or a little of the time (1-2 days)	2.39%	10	2.39
Some or a little of the time (1-2 days)	2.15%	9	2.15
Rarely or none of the time (less than 1 day)	1.67%	7	1.67
Some or a little of the time (1-2 days)	2.39%	10	2.39
Some or a little of the time (1-2 days)	2.15%	9	2.15
Most or all of the time (5-7 days)	0.95%	4	0.95
Occasionally or a moderate amount of the time (3-4 days)	0.48%	2	0.48
Most or all of the time (5-7 days)	0.48%	2	0.48
Occasionally or a moderate amount of the time (3-4 days)	1.43%	6	1.43
Some or a little of the time (1-2 days)	1.43%	6	1.43
Rarely or none of the time (less than 1 day)	0.95%	4	0.95
Most or all of the time (5-7 days)	1.19%	5	1.19
Occasionally or a moderate amount of the time (3-4 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.72%	3	0.72
Some or a little of the time (1-2 days)	1.43%	6	1.43
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3	0.72

Some or a little of the time (1-2 days)	0.95%	4	0.95
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3	0.72
Rarely or none of the time (less than 1 day)	0.95%	4	0.95
Some or a little of the time (1-2 days)	0.72%	3	0.72
Most or all of the time (5-7 days)	0.72%	3	0.72
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3	0.72
Some or a little of the time (1-2 days)	0.48%	2	0.48
Occasionally or a moderate amount of the time (3-4 days)	0.48%	2	0.48
Occasionally or a moderate amount of the time (3-4 days)	0.48%	2	0.48
Rarely or none of the time (less than 1 day)	1.43%	6	1.43
Some or a little of the time (1-2 days)	1.19%	5	1.19
Most or all of the time (5-7 days)	0.95%	4	0.95
Most or all of the time (5-7 days)	0.24%	1	0.24
Occasionally or a moderate amount of the time (3-4 days)	1.43%	6	1.43
Some or a little of the time (1-2 days)	0.72%	3	0.72
Most or all of the time (5-7 days)	1.19%	5	1.19
Occasionally or a moderate amount of the time (3-4 days)	1.19%	5	1.19
Rarely or none of the time (less than 1 day)	1.43%	6	1.43
Most or all of the time (5-7 days)	0.24%	1	0.24
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Occasionally or a moderate amount of the time (3-4 days)	1.19%	5	1.19
Some or a little of the time (1-2 days)	0.72%	3	0.72
Some or a little of the time (1-2 days)	1.43%	6	1.43
Most or all of the time (5-7 days)	0.24%	1	0.24
Occasionally or a moderate amount of the time (3-4 days)	0.48%	2	0.48
Rarely or none of the time (less than 1 day)	0.72%	3	0.72
Some or a little of the time (1-2 days)	0.72%	3	0.72
Rarely or none of the time (less than 1 day)	0.48%	2	0.48

Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.24%	1	0.24
Occasionally or a moderate amount of the time (3-4 days)	0.24%	1	0.24
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-

Most or all of the time (5-7 days)	0.24%	1	0.24
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Some or a little of the time (1-2 days)	0.24%	1	0.24
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Some or a little of the time (1-2 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.24%	1	0.24
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.24%	1	0.24
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.24%	1	0.24
Some or a little of the time (1-2 days)	0.24%	1	0.24
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	_
Some or a little of the time (1-2 days)	0.00%	_	_

Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-
Most or all of the time (5-7 days)	0.00%	-	-
Occasionally or a moderate amount of the time (3-4 days)	0.00%	-	-
Rarely or none of the time (less than 1 day)	0.00%	-	-
Some or a little of the time (1-2 days)	0.00%	-	-

	100
Round	
	8
	7
	7
	7
	7
	6
	3
	2
	2
	2
	2
	2
	2
	2
	2
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1

Г

1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
_
-
-
-
_
-
-
-

_
-
-
-
_
-
_
-
-
-
_
-
_
-
-
 -
-
-
_
-
_
-
-