

Title - Loneliness & Depression faced by the people of Ontario during the month of May 2020.

Description - Weekly survey response for May 2020 in the first wave of the COVID-19 pandemic. All the 144 use cases formed when we chose the criteria of loneliness and depression. The data has been procured from the Methodify portal of CAMH website.

Date - May 2020

File Name - Appendix A

File Type - PDF File

	S/No	Gender	Age Bracket	Depressed
	1	Male	18-39	Rarely or none of the time (less than 1 day)
	2	Female	18-39	Rarely or none of the time (less than 1 day)
	3	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
	4	Female	18-39	Some or a little of the time (1-2 days)
	5	Male	18-39	Some or a little of the time (1-2 days)
	6	Male	40-59	Rarely or none of the time (less than 1 day)
	7	Female	18-39	Rarely or none of the time (less than 1 day)
	8	Male	40-59	Some or a little of the time (1-2 days)
	9	Female	18-39	Most or all of the time (5-7 days)
	10	Female	40-59	Occasionally or a moderate amount of the time (3-4 days)
	11	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)
	12	Female	40-59	Rarely or none of the time (less than 1 day)
	13	Female	40-59	Some or a little of the time (1-2 days)
	14	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
	15	Female	40-59	Rarely or none of the time (less than 1 day)
	16	Female	40-59	Some or a little of the time (1-2 days)
	17	Female	60+	Some or a little of the time (1-2 days)
	18	Male	18-39	Rarely or none of the time (less than 1 day)
	19	Male	18-39	Some or a little of the time (1-2 days)
	20	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
	21	Female	18-39	Some or a little of the time (1-2 days)
	22	Male	18-39	Most or all of the time (5-7 days)
	23	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)
	24	Female	40-59	Most or all of the time (5-7 days)
	25	Male	40-59	Most or all of the time (5-7 days)
	26	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)

27	Other	40-59	Some or a little of the time (1-2 days)
28	Female	60+	Most or all of the time (5-7 days)
29	Female	18-39	Occasionally or a moderate amount of the time (3-4 days)
30	Female	18-39	Some or a little of the time (1-2 days)
31	Female	40-59	Some or a little of the time (1-2 days)
32	Female	60+	Occasionally or a moderate amount of the time (3-4 days)
33	Female	60+	Some or a little of the time (1-2 days)
34	Male	18-39	Most or all of the time (5-7 days)
35	Male	18-39	Rarely or none of the time (less than 1 day)
36	Male	18-39	Some or a little of the time (1-2 days)
37	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)
38	Female	60+	Occasionally or a moderate amount of the time (3-4 days)
39	Male	60+	Occasionally or a moderate amount of the time (3-4 days)
40	Male	40-59	Some or a little of the time (1-2 days)
41	Male	60+	Rarely or none of the time (less than 1 day)
42	Female	60+	Rarely or none of the time (less than 1 day)
43	Male	60+	Some or a little of the time (1-2 days)
44	Female	60+	Some or a little of the time (1-2 days)
45	Female	18-39	Some or a little of the time (1-2 days)
46	Female	40-59	Occasionally or a moderate amount of the time (3-4 days)
47	Female	60+	Rarely or none of the time (less than 1 day)
48	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)
49	Male	60+	Rarely or none of the time (less than 1 day)
50	Male	60+	Some or a little of the time (1-2 days)

51	Female	18-39	Rarely or none of the time (less than 1 day)
52	Female	40-59	Occasionally or a moderate amount of the time (3-4 days)
53	Female	40-59	Rarely or none of the time (less than 1 day)
54	Female	40-59	Some or a little of the time (1-2 days)
55	Female	60+	Rarely or none of the time (less than 1 day)
56	Female	60+	Some or a little of the time (1-2 days)
57	Male	18-39	Rarely or none of the time (less than 1 day)
58	Male	18-39	Some or a little of the time (1-2 days)
59	Male	40-59	Rarely or none of the time (less than 1 day)
60	Male	40-59	Some or a little of the time (1-2 days)
61	Male	60+	Most or all of the time (5-7 days)
62	Male	60+	Occasionally or a moderate amount of the time (3-4 days)
63	Male	60+	Rarely or none of the time (less than 1 day)
64	Male	60+	Some or a little of the time (1-2 days)
65	Other	18-39	Most or all of the time (5-7 days)
66	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)
67	Other	18-39	Rarely or none of the time (less than 1 day)
68	Other	18-39	Some or a little of the time (1-2 days)
69	Other	40-59	Most or all of the time (5-7 days)
70	Other	40-59	Occasionally or a moderate amount of the time (3-4 days)
71	Other	40-59	Rarely or none of the time (less than 1 day)
72	Male	60+	Most or all of the time (5-7 days)

73	Other	60+	Most or all of the time (5-7 days)
74	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
75	Other	60+	Rarely or none of the time (less than 1 day)
76	Other	60+	Some or a little of the time (1-2 days)
77	Female	18-39	Most or all of the time (5-7 days)
78	Female	18-39	Rarely or none of the time (less than 1 day)
79	Female	40-59	Most or all of the time (5-7 days)
80	Female	40-59	Rarely or none of the time (less than 1 day)
81	Female	60+	Most or all of the time (5-7 days)
82	Female	60+	Rarely or none of the time (less than 1 day)
83	Male	40-59	Most or all of the time (5-7 days)
84	Male	40-59	Rarely or none of the time (less than 1 day)
85	Male	40-59	Some or a little of the time (1-2 days)
86	Male	60+	Rarely or none of the time (less than 1 day)
87	Male	60+	Some or a little of the time (1-2 days)
88	Other	18-39	Most or all of the time (5-7 days)
89	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)
90	Other	18-39	Rarely or none of the time (less than 1 day)
91	Other	18-39	Some or a little of the time (1-2 days)
92	Other	40-59	Most or all of the time (5-7 days)
93	Other	40-59	Occasionally or a moderate amount of the time (3-4 days)
94	Other	40-59	Rarely or none of the time (less than 1 day)
95	Other	40-59	Some or a little of the time (1-2 days)
96	Other	60+	Most or all of the time (5-7 days)
97	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
98	Other	60+	Rarely or none of the time (less than 1 day)
99	Other	60+	Some or a little of the time (1-2 days)
100	Female	18-39	Most or all of the time (5-7 days)
101	Female	40-59	Most or all of the time (5-7 days)
102	Female	40-59	Occasionally or a moderate amount of the time (3-4 days)
103	Female	60+	Most or all of the time (5-7 days)
104	Female	60+	Occasionally or a moderate amount of the time (3-4 days)
105	Male	18-39	Most or all of the time (5-7 days)
106	Male	18-39	Occasionally or a moderate amount of the time (3-4 days)
107	Male	40-59	Most or all of the time (5-7 days)
108	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)
109	Male	60+	Most or all of the time (5-7 days)
110	Male	60+	Occasionally or a moderate amount of the time (3-4 days)
111	Other	18-39	Most or all of the time (5-7 days)
112	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)
113	Other	18-39	Rarely or none of the time (less than 1 day)
114	Other	18-39	Some or a little of the time (1-2 days)
115	Other	40-59	Most or all of the time (5-7 days)
116	Other	40-59	Occasionally or a moderate amount of the time (3-4 days)
117	Other	40-59	Rarely or none of the time (less than 1 day)
118	Other	40-59	Some or a little of the time (1-2 days)
119	Other	60+	Most or all of the time (5-7 days)
120	Other	60+	Occasionally or a moderate amount of the time (3-4 days)

121	Other	60+	Rarely or none of the time (less than 1 day)
122	Other	60+	Some or a little of the time (1-2 days)
123	Female	18-39	Most or all of the time (5-7 days)
124	Female	40-59	Most or all of the time (5-7 days)
125	Female	60+	Most or all of the time (5-7 days)
126	Female	60+	Occasionally or a moderate amount of the time (3-4 days)
127	Male	18-39	Most or all of the time (5-7 days)
128	Male	40-59	Most or all of the time (5-7 days)
129	Male	40-59	Occasionally or a moderate amount of the time (3-4 days)
130	Male	40-59	Rarely or none of the time (less than 1 day)
131	Male	60+	Most or all of the time (5-7 days)
132	Male	60+	Occasionally or a moderate amount of the time (3-4 days)
133	Other	18-39	Most or all of the time (5-7 days)
134	Other	18-39	Occasionally or a moderate amount of the time (3-4 days)
135	Other	18-39	Rarely or none of the time (less than 1 day)
136	Other	18-39	Some or a little of the time (1-2 days)
137	Other	40-59	Most or all of the time (5-7 days)
138	Other	40-59	Occasionally or a moderate amount of the time (3-4 days)
139	Other	40-59	Rarely or none of the time (less than 1 day)
140	Other	40-59	Some or a little of the time (1-2 days)
141	Other	60+	Most or all of the time (5-7 days)
142	Other	60+	Occasionally or a moderate amount of the time (3-4 days)
143	Other	60+	Rarely or none of the time (less than 1 day)
144	Other	60+	Some or a little of the time (1-2 days)

	100%	418
Lonely	Count of respid2	Count of respid
Rarely or none of the time (less than 1 day)	7.66%	32
Rarely or none of the time (less than 1 day)	5.74%	24
Rarely or none of the time (less than 1 day)	0.72%	3
Rarely or none of the time (less than 1 day)	0.96%	4
Rarely or none of the time (less than 1 day)	1.20%	5
Rarely or none of the time (less than 1 day)	7.66%	32
Some or a little of the time (1-2 days)	3.83%	16
Some or a little of the time (1-2 days)	2.63%	11
Most or all of the time (5-7 days)	1.67%	7
Occasionally or a moderate amount of the time (3-4 days)	1.67%	7
Occasionally or a moderate amount of the time (3-4 days)	1.67%	7
Rarely or none of the time (less than 1 day)	3.59%	15
Rarely or none of the time (less than 1 day)	2.15%	9
Some or a little of the time (1-2 days)	1.91%	8
Some or a little of the time (1-2 days)	1.91%	8
Some or a little of the time (1-2 days)	1.67%	7
Some or a little of the time (1-2 days)	1.91%	8
Some or a little of the time (1-2 days)	2.15%	9
Some or a little of the time (1-2 days)	2.39%	10
Most or all of the time (5-7 days)	0.72%	3
Most or all of the time (5-7 days)	0.48%	2
Most or all of the time (5-7 days)	0.48%	2
Most or all of the time (5-7 days)	0.72%	3
Most or all of the time (5-7 days)	1.44%	6
Most or all of the time (5-7 days)	0.48%	2
Most or all of the time (5-7 days)	0.72%	3

Most or all of the time (5-7 days)	0.24%	1
Most or all of the time (5-7 days)	0.48%	2
Occasionally or a moderate amount of the time (3-4 days)	0.96%	4
Occasionally or a moderate amount of the time (3-4 days)	0.96%	4
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3
Occasionally or a moderate amount of the time (3-4 days)	0.96%	4
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3
Occasionally or a moderate amount of the time (3-4 days)	0.48%	2
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3
Occasionally or a moderate amount of the time (3-4 days)	1.20%	5
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3
Most or all of the time (5-7 days)	0.72%	3
Occasionally or a moderate amount of the time (3-4 days)	0.72%	3
Rarely or none of the time (less than 1 day)	0.72%	3
Rarely or none of the time (less than 1 day)	8.13%	34
Rarely or none of the time (less than 1 day)	6.46%	27
Rarely or none of the time (less than 1 day)	1.67%	7
Rarely or none of the time (less than 1 day)	1.20%	5
Some or a little of the time (1-2 days)	0.96%	4
Some or a little of the time (1-2 days)	0.72%	3
Some or a little of the time (1-2 days)	1.44%	6
Some or a little of the time (1-2 days)	0.72%	3
Some or a little of the time (1-2 days)	1.44%	6
Some or a little of the time (1-2 days)	1.44%	6

Most or all of the time (5-7 days)	0.24%	1
Most or all of the time (5-7 days)	0.24%	1
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Most or all of the time (5-7 days)	0.00%	-
Occasionally or a moderate amount of the time (3-4 days)	0.48%	2

100	100
Value	Round
7.66	8
5.74	6
0.72	1
0.96	1
1.20	1
7.66	8
3.83	4
2.63	3
1.67	2
1.67	2
1.67	2
3.59	4
2.15	2
1.91	2
1.91	2
1.67	2
1.91	2
2.15	2
2.39	2
0.72	1
0.48	1
0.48	1
0.72	1
1.44	1
0.48	1
0.72	1

<--- Calculation Sample

